

Notice of Allowability

Application No.

09/854,635

Examiner

Neveen Abel-Jalil

Applicant(s)

SALMENKAITA ET AL.

Art Unit

2165

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to March 2, 2005.
2. ☒ The allowed claim(s) is/are 1-62.
3. ☒ The drawings filed on May 15, 2001 are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
 6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date _____
4. ☐ Examiner's Comment Regarding Requirement for Deposit
of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413),
Paper No./Mail Date _____
7. ☒ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____


CHARLES RONES
PRIMARY EXAMINER

DETAILED ACTION

Remarks

1. The Amendment filed on March 2, 2005 has been received and entered. Claims 1-62 are pending.

2. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. Joseph C. Redmond, Jr. (Attorney of Record) on March 31, 2005.

3. The application has been amended as follows:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listings of Claims:

Claim 1 (Currently Amended): A method to enable a wireless device to provide recommendations to ~~it's~~ a user that is appropriate to the device's current environment, comprising:

receiving sensor signals characterizing a current environment of the wireless device;

processing the sensor signals with a context inference engine;

Art Unit: 2165

outputting a current context result from the processing by the context inference engine;

forming a context-activity pair by selecting an activity and pairing it with the current context result;

searching a database of recommendations using the context-activity pair without user identification wherein the database of recommendations comprises a table listing context-activity pairs each related to (i) a listing of service recommendations and (ii) a listing of number times recommended for each service recommendation; and

providing recommendations to the user in response to the searching step.

Claim 2 (Previously Presented): The method of claim 1, wherein the processing of the sensor signals with a context inference engine is embodied as programmed instructions executed within the user's wireless device.

Claim 3 (Previously Presented): The method of claim 1, wherein the processing of the sensor signals with a context inference engine is embodied as programmed instructions executed within a separate network server in response to signals from the user's wireless device.

Claim 4 (Previously Presented): The method of claim 1, wherein the sensor signals are selected from the group consisting of positioning signals, touch signals, audio signals, compass signals, ambient light signals, ambient temperature signals, three-axis acceleration signals, time signals, and the device's operational mode signals.

Art Unit: 2165

Claim 5 (Previously Presented): The method of claim 3, wherein the wireless device offloads a portion of the processing of the sensor signals to a context inference engine to the server.

Claim 6 (Previously Presented): The method of claim 1, wherein the selecting of an activity is automatically performed in the wireless device.

Claim 7 (Previously Presented): The method of claim 1, wherein the selecting of an activity performed by the user in the wireless device.

Claim 8 (Previously Presented): The method of claim 3, wherein the signals from the user's wireless device are sent to the server without any user identification.

Claim 9 (Previously Presented): The method of claim 1, which further comprises:

providing the recommendation in a separate server in response to context-activity pair information received at the server from the user's wireless device.

Claim 10 (Previously Presented): The method of claim 9, which further comprises:

maintaining the database as a context-activity pair database by the server;
associating in the database the context-activity pair information with appropriate recommendations made in the past to many users.

Art Unit: 2165

Claim 11 (Previously Presented): The method of claim 10, which further comprises:

making new recommendations to the user in response to the context-activity pair information submitted by the wireless device; and

gathering the new recommendations and adding them to the database;

whereby the variety, quality and pertinence of the recommendations in the database grows as the recommendation system is used.

Claim 12 (Previously Presented): The method of claim 11, which further comprises:

compiling statistical usage information about the recommendations and storing the usage information in the database.

Claim 13 (Previously Presented): The method of claim 12, which further comprises:

providing the statistical usage information to the wireless device accompanying the recommendations.

Claim 14 (Previously Presented): The method of claim 13, which further comprises:

filtering the recommendations received at the wireless device by using the statistical usage information accompanying the recommendations.

Claim 15 (Previously Presented): The method of claim 1, wherein said providing step further comprises:

filtering the recommendations at the wireless device using statistical usage information associated with the recommendations.

Art Unit: 2165

Claim 16 (Previously Presented): The method of claim 1, wherein said providing step further comprises:

- accessing a history log of previous recommendations provided to the user;
- filtering new recommendations from the previous recommendations and providing the new recommendations to the user.

Claim 17 (Previously Presented): The method of claim 1, wherein said providing step further comprises:

- accessing a history log of previous recommendations provided to the user, including ratings of the previous recommendations;
- filtering recommendations using the ratings and providing the filtered recommendations to the user.

Claim 18 (Previously Presented): The method of claim 1, which further comprises:

- providing the recommendations to an application program.

Claim 19 (Previously Presented): The method of claim 3, which further comprises:

- providing to the user control over the privacy of the user's information within the network server.

Claim 20 (Previously Presented): The method of claim 19, which further comprises:

Art Unit: 2165

maintaining the database as a context-activity pair database by the server, which contains no personal information about the user;

associating in the database the context-activity pair information with appropriate recommendations made in the past to many users.

Claim 21 (Previously Presented): The method of claim 20, which further comprises:

making new recommendations to the user in response to the context-activity pair information submitted by the wireless device; and

gathering the new recommendations and adding them to the database without any personal information about the user.

Claim 22 (Currently Amended): An apparatus to enable a wireless device to provide a recommendations to its a user that are appropriate to the device's current environment, comprising:

a processor;

a memory coupled to the processor, programmed to perform the steps of:

receiving sensor signals characterizing a current environment of the wireless device;

processing the sensor signals with a context inference engine;

outputting a current context result from the processing by the context inference engine;

forming a context-activity pair by selecting an activity and pairing it with the current context result;

Art Unit: 2165

causing a database of recommendations to be searched using the context-activity pair without user identification wherein the database of recommendations comprises a table listing context-activity pairs each related to (i) a listing of service recommendations and (ii) a listing of number times recommended for each service recommendation; and providing recommendations to the user in response to the searching step.

Claim 23 (Previously Presented): The apparatus of claim 22, wherein the processing of the sensor signals with a context inference engine is embodied as programmed instructions executed within the user's wireless device.

Claim 24 (Previously Presented): The apparatus of claim 22, wherein the processing of the sensor signals with a context inference engine is embodied as programmed instructions executed within a separate network server in response to signals from the user's wireless device.

Claim 25 (Currently Amended): A wireless device to provide recommendations to its a user that are appropriate to the device's current environment, comprising:

a sensor for providing sensor signals as a metadata vector which represents the current sensor signals and characterizes the current state of the wireless device

characterizing a current environment of the wireless device;

a context inference engine coupled to the sensor, for processing the sensor signals said context inference engine providing a current context result from the processing;

Art Unit: 2165

a processor coupled to the context inference engine, for forming a context-activity pair by selecting an activity and pairing it with the current context result;

a database coupled to the processor, for providing recommendations using the context-activity pair without user identification wherein the database comprises a table listing context-activity pairs each related to (i) a listing of service recommendations and (ii) a listing of number times recommended for each service recommendation; and

an output device coupled to the database, for providing the recommendations to the user in response to the context-activity pair.

Claim 26 (Currently Amended): A system to provide recommendations to ~~the~~ a user of a wireless device that are appropriate to the device's current environment, comprising:

a sensor in the wireless device for providing sensor signals as a metadata vector ~~which represents~~ing the a current sensor signals and characterizing a current environment of the wireless device;

appending a message authentication code and digital signature to insure the integrity of the metadata vector;

a processor coupled to the sensor, for forming pair information by selecting an activity and pairing it the activity with current sensor information derived from said sensor signals, said processor sending the pair information to a server;

a context inference engine in the server coupled to the wireless device, for processing the context-activity pair information, said context inference engine providing a current context result from the processing;

Art Unit: 2165

a database coupled to the context inference engine, for providing recommendations using the activity and current result without user identification ~~without user identification~~ wherein the database comprises a table listing context-activity pairs each related to (i) a listing of service recommendations and (ii) a listing of number times recommended for each service recommendation; and

an output device in the wireless device and coupled to the database, for providing recommendations to the user.

Claim 27 (Currently Amended): A business method to enable a wireless device to provide recommendations to ~~its~~ a user that are appropriate to the device's current environment, comprising:

a metadata vector which represents the current sensor signals characterizing a current environment of the wireless device with a current context result;

processing of the sensor signals with a context inference engine embodied as programmed instructions executed within a separate wireless network server in response to signals from the user's wireless device;

appending a message authentication code and digital signature to insure the integrity of the metadata vector;

forming a context-activity pair by selecting an activity and pairing it with the current context result;

accessing a database of recommendations using the context-activity pair, the database of recommendations excluding any user personal data; the database coupled to the processor, for providing recommendations using the context-activity pair without user

Art Unit: 2165

identification wherein the database comprises a table listing context-activity pairs each related to (i) a listing of service recommendations and (ii) a listing of number times recommended for each service recommendation; and providing recommendations to the wireless device from the database.

Claim 28 (Previously Presented): The business method of claim 27, which further comprises:

gathering new recommendations and adding them to the database without including any user personal data or old recommendations.

Claim 29 (Previously Presented): The business method of claim 27, which further comprises:

compiling statistical usage information about the recommendations and storing the usage information in the database.

Claim 30 (Previously Presented): The business method of claim 29, which further comprises:

providing the statistical usage information to the wireless device accompanying the recommendations.

Claim 31 (Previously Presented): The business method of claim 27, which further comprises:

Art Unit: 2165

filtering the recommendations received at the wireless device by using the statistical usage information accompanying the recommendations.

Claim 32 (Previously Presented): The business method of claim 27, which further comprises:

accessing a history log of previous recommendations provided to the user;
filtering new recommendations from the previous recommendations and
providing the new recommendations to the user.

Claim 33 (Previously Presented): The business method of claim 27, which further comprises:

accessing a history log of previous recommendations provided to the user,
including ratings of the previous recommendations;
filtering recommendations using the ratings and providing the filtered
recommendations to the user.

Claim 34 (Previously Presented): The business method of claim 27, which further comprises:

providing the recommendations to an application program layer.

Claim 35 (Previously Presented): The business method of claim 28, which further comprises: providing at least portions of the database to a third party service provider.

Art Unit: 2165

Claim 36 (Currently Amended): A method to enable a wireless device to provide recommendations to ~~its~~ a user that are appropriate to the device's current environment, comprising:

- receiving sensor signals characterizing a current environment of the wireless device;

- processing the sensor signals with a context inference engine to produce a set of current context results;

- forming a set of context-activity pairs by selecting an activity and pairing ~~it~~ with the set of current context results;

- accessing a set of related service history items from a history log;

- forming context-activity pair information from the set of current context results and the set of related service history items;

- searching a database of recommendations using the context-activity pair without user identification wherein the database of recommendations comprises a table listing context-activity pairs each related to (i) a listing of service recommendations and (ii) a listing of number times recommended for each service recommendation; and

- providing recommendations to the user in response to the searching step.

Claim 37 (Previously Presented): The method of claim 36, which further comprises:

- providing the recommendation in a separate wireless network server in response to context-activity pair information received at the server from the user's wireless device.

Claim 38 (Previously Presented): The method of claim 37, which further comprises:

Art Unit: 2165

maintaining the database as a context-activity pair database by the separate wireless network server;

associating in the database the context-activity pair information with appropriate recommendations made in the past to many users.

Claim 39 (Previously Presented): The method of claim 38, which further comprises:

making new recommendations to the user in response to the context-activity pair information submitted by the wireless device; and

gathering the new recommendations and adding them to the database;

whereby the variety, quality and pertinence of the recommendations in the database grows as the recommendation system is used.

Claim 40 (Previously Presented): The method of claim 39, which further comprises:

compiling statistical usage information about the recommendations and storing the usage information in the database.

Claim 41 (Previously Presented): The method of claim 40, which further comprises:

providing the statistical usage information to the wireless device accompanying the recommendations.

Claim 42 (Previously Presented): The method of claim 41, which further comprises:

filtering the recommendations received at the wireless device by using the statistical usage information accompanying the recommendations.

Art Unit: 2165

Claim 43 (Previously Presented): The method of claim 42, wherein said providing step further comprises:

filtering the recommendations at the wireless device using statistical usage information associated with the recommendations.

Claim 44 (Previously Presented): The method of claim 43, wherein said providing step further comprises:

accessing a history log of previous recommendations provided to the user;
filtering new recommendations from the previous recommendations and
providing the new recommendations to the user.

Claim 45 (Previously Presented): The method of claim 44, wherein said providing step further comprises:

accessing a history log of previous recommendations provided to the user,
including ratings of the previous recommendations;
filtering recommendations using the ratings and providing the filtered
recommendations to the user.

Claim 46 (Currently Amended): A method to enable a wireless device to provide recommendations to ~~its~~ a user that are appropriate to the device's current environment, comprising:

Art Unit: 2165

receiving sensor signals as a metadata vector characterizing a current environment of the wireless device;

processing the sensor signals with a context inference engine utilizing adaptive and continuous learning processes;

outputting a current context result from the sensor processing by the context inference engine;

selecting a user activity and pairing the activity with the current context result to form a context-activity pair;

searching a database of context-activity pairs in a recommendation system while maintaining the privacy of the user wherein the database comprises a table listing context activity pairs each related to (i) a listing of service recommendations and (ii) a listing of number times recommended for each service recommendation;

providing recommendations to the user relative to the context-activity pair in response to the searching step;

filtering the recommendations using an algorithm to identify new and significant information as new recommendations; and

displaying the new recommendations to the user.

Claim 47 (Previously Presented): The method of Claim 46 further comprising:

forming a metadata vector of the sensor signals for processing in the device or transmission to a server for processing.

Claim 48 (Previously Presented): The method of Claim 46 further comprising:

Art Unit: 2165

establishing a privacy user interface to a privacy control element enabling the user to set privacy policies related to access to the context inference engine, and to alert the user that an application program is attempting to register to receive the user's private context awareness information.

Claim 49 (Previously Presented): The method of Claim 46 further comprising:

excluding user personal data from the database of context-activity pairs.

Claim 50 (Previously Presented): The method of Claim 46 further comprising:

providing context activity pair data sets in the database to third parties for market research.

Claim 51 (Currently Amended): A method to enable a wireless device to provide recommendations to ~~it's~~ a user that are appropriate to the device's current environment, comprising:

receiving sensor signals as a metadata vector characterizing a current environment of the wireless device;

appending a message authentication code and digital signature to insure the integrity of the metadata vector;

processing the sensor signals with a context inference engine to produce a set of current context results;

forming a set of context-activity pairs by selecting an activity and pairing ~~it~~ with the set of current context results;

Art Unit: 2165

searching a set of related service history items from a history log using the set of context-activity pairs;

forming context-activity pair information from the set of context-activity pair and the set of related service history items;

searching a database of recommendations using the context-activity pair information without user identification wherein the database of recommendations comprises a table listing context-activity pairs each related to (i) a listing of service recommendations and (ii) a listing of number times recommended for each service recommendation; and providing recommendations to the user in response to the searching step.

Claim 52 (Currently Amended): The method of Claim 1 further comprising:

forming a database of context-activity pairs and related service recommendations in a remote server;

controlling access of applications to private context information via a privacy control block;

matching context-activity pairs in the database similar to the pair received from the context inference engine; and

providing alternative recommendations to the user for the selection of a context-activity using a recommendation algorithm in response to the searching step.

Claim 53 (Currently Amended): The apparatus of Claim 22 wherein the processor further comprises:

Art Unit: 2165

forming a database of context-activity pairs and related service recommendations in a remote server;

controlling access of applications to private context information via a privacy control block; and

providing alternative recommendations to the user for the selection of a context-activity using a recommendation algorithm in response to the searching step.

Claim 54 (Currently Amended): The wireless device of Claim 25 further comprising:

means for matching context-activity pairs in the database similar to the pair received from the context inference engine; and

the output device providing alternative recommendations to the user in response to the context-activity pair.

Claim 55 (Currently Amended): The system of Claim 26 further comprises

the database includes context-activity pairs and related service recommendations;

a privacy control block controlling access of applications to private context information; and

the output device provides alternative recommendations to the user.

Claim 56 (Previously Presented): The business method of Claim 27 further comprising:

forming a database of context-activity pairs and related service recommendations;

Art Unit: 2165

controlling access of applications to private context information via a privacy control block; and wherein

alternative recommendations are provided to the wireless device from the database for the selection of a context- activity using a recommendation algorithm.

Claim 57 (Previously Presented): The method of Claim 36 further comprising:

forming a database of context-activity pairs and related service recommendations;
controlling access of applications to private context information via a privacy control block;

matching contact-activity pairs in the database similar to the pair received from the context inference engine; and wherein

alternative recommendations are provided to the wireless device from the database for the selection of a context- activity using a recommendation algorithm.

Claim 58 (Previously Presented): The method of Claim 46 further comprising:

forming a database of context-activity pairs and related service recommendations;
controlling access of applications to private context information via a privacy control block; and wherein

alternative recommendations are provided to the user for the selection of a context activity using a recommendation algorithm.

Claim 59 (Previously Presented): The method of claim 56 wherein at least one source of services matching the context-activity pair received from the wireless device

Claim 60 (Previously Presented): The method of claim 18 wherein the application program receives recommendations from application program interfaces for further processing without showing the recommendation to the user.

Claim 61 (Previously Presented): The method of claim 11 wherein new recommendations generated by the server are added to the database for statistical purposes and expanded user selections.

Claim 62 (Previously Presented): The method of Claim 1 wherein a metadata vector represents the current sensor signals; characterizes the current state of the wireless device, and combined with the user activity as the context-activity pair. A current environment of the current state of the wireless device

Reasons for Allowance

4. Claims 1-62 are allowed over the prior art made of record.

5. The following is a statement of reasons for allowance:

The prior art of record (Robarts et al. -U.S. Pub. No. 2002/0083025 A1- and- Moore et al. -U.S. Pub. No. 2001/0039546 A1-and- Brunk et al. -U.S. Pub. No. 2002/0126872 A1) do not disclose, teach, or suggest the claimed limitations of (in combination with all other features in the claim), searching a database of recommendations using the context-activity pair without user identification wherein the

Art Unit: 2165

database comprises a table listing context-activity pairs each related to (i) a listing of service recommendations and (ii) a listing of number times recommended for each service recommendation, as claimed in claims 1, 22, and 36.

Claims 2-21, 52, 60-62, 23-24, 53, 37-45, 57 are allowed over the prior art made of record, because they are dependent from the allowed independent claims 1, 22, and 36, respectively.

The prior art of record (Robarts et al. -U.S. Pub. No. 2002/0083025 A1- and- Moore et al. -U.S. Pub. No. 2001/0039546 A1-and- Brunk et al. -U.S. Pub. No. 2002/0126872 A1) do not disclose, teach, or suggest the claimed limitations of (in combination with all other features in the claim), searching a database of recommendations using the context-activity pair without user identification wherein the database comprises a table listing context-activity pairs each related to (i) a listing of service recommendations and (ii) a listing of number times recommended for each service recommendation, as claimed in claims 25, and 46.

The prior art of record (Robarts et al. -U.S. Pub. No. 2002/0083025 A1- and- Moore et al. -U.S. Pub. No. 2001/0039546 A1-and- Brunk et al. -U.S. Pub. No. 2002/0126872 A1) do not disclose, teach, or suggest the claimed limitations of (in combination with all other features in the claim), appending a message authentication code and digital signature to insure the integrity of the metadata vector; searching a database of recommendations using the context-activity pair without user identification

Art Unit: 2165

wherein the database comprises a table listing context-activity pairs each related to (i) a listing of service recommendations and (ii) a listing of number times recommended for each service recommendation, as claimed in claims 26, and 51.

The prior art of record (Robarts et al. -U.S. Pub. No. 2002/0083025 A1- and- Moore et al. -U.S. Pub. No. 2001/0039546 A1-and- Brunk et al. -U.S. Pub. No. 2002/0126872 A1) do not disclose, teach, or suggest the claimed limitations of (in combination with all other features in the claim), for providing recommendations using the context-activity pair without user identification wherein the database comprises a table listing context-activity pairs each related to (i) a listing of service recommendations and (ii) a listing of number times recommended for each service recommendation, as claimed in claim 27.

Claims 28-35, 56, and 59 are allowed over the prior art made of record, because they are dependent from the allowed independent claim 27.

Conclusion


6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Neveen Abel-Jalil whose telephone number is 571-272-4074. The examiner can normally be reached on 8:30AM-5: 30PM EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Dov Popovici can be reached on 571-272-4038. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 2165

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Neveen Abel-Jalil
March 31, 2005


CHARLES RONES
PRIMARY EXAMINER